

6463-1

5 March 1987

MEMORANDUM FOR: Chief, Technical Services Group, OS


STAT FROM:
Chief, New Building Project Office, OL

SUBJECT: New Headquarters Building RF Shield

1. We appreciate and share your concern for a quality installation of the RF shield. Since your meeting with us on this matter, we have established a more formal procedure to identify, track, and resolve shield problems. The Atlantic Research Corporation on-site representative will maintain a detailed log of shielding concerns. The GSA on-site inspectors and Agency construction/technical monitors will help identify items for this log. The Agency construction/technical monitors will help monitor the status of all ongoing, unresolved shield questions and will bring them to the attention of management as appropriate. In addition, I have charged one of my CIA engineers with overall responsibility for the effective implementation of the new procedures. And finally, I plan periodically to review the log personally to assure that it is being utilized effectively.

2. The Chief of my Security Staff has participated in the development of and concurs in the new procedures. He and I are confident that they will prevent the oversight of unresolved problems and help ensure the installation of an effective RF Shield.

STAT



STAT OL/NBPO 5Mar87

Orig - AUSE
1 - D/OL
1 - C/SS/NBPO/OL
1 - OL/NBPO Subject
1 - OL/NBPO Chrono
1 - OL Files

OL 2019-87